

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย

ศูนย์ระบบการหายใจ

3.0 ข้อกำหนดสำหรับเฟอร์นิเจอร์และของตกแต่ง จำพวกลอยตัว
วันที่ 25 ธันวาคม 2562

INTERIOR ARCHITECTURE
DESIGNER

LEOINTER

Leo International Design Group Co., Ltd.

39th Floor, Ocean Tower 2

75/108-109 Sukhumvit 19 Road

Klongtoey Nua, Vadhana, Bangkok 10110,

Thailand

Tel : +66 (0) 2261 7733

Fax : +66 (0) 2261 7734

E-mail : lldg@lldg.co.th

www.lldg.co.th

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ , กรุงเทพฯ , ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	---	---------	--

มาตรฐานการกำหนดข้อมูล

หน้าสารบัญ

ก. ข้อกำหนดทั่วไป

(ตามข้อกำหนดมาตรฐานของบริษัท ลีโล อินเทอร์เน็ตชั่นเนล กรุ๊ป)

ข. ข้อกำหนด เฟอร์นิเจอร์ลอยตัว เฟอร์นิเจอร์ติดผนัง และอุปกรณ์ต่างๆ

1.0 วัสดุและข้อกำหนดต่างๆ

- 1.1 ข้อกำหนด ผ้าเพดาน
- 1.2 ข้อกำหนด พรม
- 1.3 ข้อกำหนด กระຈก
- 1.4 ข้อกำหนด ลามิเนต
- 1.5 ข้อกำหนด โลหะต่างๆ
- 1.6 ข้อกำหนด สีทาต่างๆ
- 1.7 ข้อกำหนด หินอ่อน / กระเบื้องเซรามิก / กระเบื้องโมเสค
- 1.8 ข้อกำหนด วอลเปเปอร์ / ผ้าและหนังบุผนัง
- 1.9 ข้อกำหนด ไม้เนื้อแข็ง / ไม้จริง
- 1.10 ข้อกำหนด วัสดุและอุปกรณ์อื่นๆ
- 1.11 ข้อกำหนด กระเบื้องยาง

2.0 ข้อกำหนดสำหรับเฟอร์นิเจอร์ และของตกแต่ง จำพวกติดผนัง หรือเคลื่อนย้ายไม่ได้

- 2.1 ข้อกำหนด งานระบบติดตั้งไฟฟ้า
- 2.1 ข้อกำหนด งานสุขาภิบาล
- 2.2 ข้อกำหนด งานประตูหน้าต่าง
- 2.4 ข้อกำหนด งานจัดแสงทั่วไป

3.0 รพ.ศิริราช ปิยมหาราชการุณย์ , กรุงเทพฯ , ประเทศไทย

- 3.1 ข้อกำหนด เฟอร์นิเจอร์ลอยตัว
- 3.2 ข้อกำหนด โคมไฟตกแต่ง
- 3.3 ข้อกำหนด ผ้า, สิ่งทอ
- 3.4 ข้อกำหนด พรม
- 3.5 ข้อกำหนด ภาพศิลปะ, ของตกแต่ง

3.0 ข้อกำหนดสำหรับเฟอร์นิเจอร์และของตกแต่ง จำพวกลอยตัว

สำหรับ

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย

นำเสนอวัสดุในการตกแต่งภายใน
ศูนย์ระบบการหายใจ

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

มาตรฐานการเลือกเฟอร์นิเจอร์ลอยตัว และข้อกำหนดต่างๆ

ลำดับ.	หัวข้อ	สารบัญ	หน้า
--------	--------	--------	------

3.1 ข้อกำหนดเฟอร์นิเจอร์ลอยตัว

TABLE

CAS-01	โต๊ะทำงานหมอน ประจำห้องตรวจ (ชาย-ขวา)	3.1A – 01
CAS-02	ตู้ลิ้นชัก แบบมีล้อเลื่อน	3.1A – 02
CAS-03	โต๊ะทำงาน เจ้าหน้าที่	3.1A – 03
CAS-04	โต๊ะตรวจ ห้อง CPAP	3.1A – 04
CAS-05	โต๊ะกลาง รูปวงรี	3.1A – 05
CAS-06	โต๊ะข้างทรงกลม	3.1A – 06
CAS-07	โต๊ะประชุม	3.1A – 07
CAS-08	โต๊ะรับประทานอาหาร สำหรับเจ้าหน้าที่ (ใช้ของเดิม)	3.1A – 08
CAS-09	LOCKER	3.1A – 09
CAS-10	PARTITION ห้องพ่นยา	3.1A – 10
CAS-11	PARTITION ห้อง CPAP	3.1A – 11

SEATING

SEA-01	เก้าอี้เจ้าหน้าที่ มีเท้าแขน	3.1B – 01
SEA-02	เก้าอี้ปฏิบัติการเจ้าหน้าที่ ไม่มีเท้าแขน	3.1B – 02
SEA-03	เก้าอี้หมอน ประจำห้องตรวจ	3.1B – 03
SEA-04	เก้าอี้คนไข้ประจำห้องตรวจ	3.1B – 04
SEA-05	เก้าอี้สำหรับวัดความดัน	3.1B – 05
SEA-06	เก้าอี้สำหรับห้องเจาะเลือด	3.1B – 06
SEA-07	เก้าอี้สำหรับห้องพ่นยา	3.1B – 07
SEA-08	เก้าอี้พักคอย แบบ 4 ที่นั่ง	3.1B – 08
SEA-09	โซฟา แบบ 3 ที่นั่ง	3.1B – 09
SEA-10	เก้าอี้มีเท้าแขน	3.1B – 10
SEA-11	โซฟาแบบ 2 ที่นั่ง (ใช้ของเดิม)	3.1B – 11
SEA-12	เก้าอี้ห้องประชุม ไม่มีเท้าแขน	3.1B – 12
SEA-13	เก้าอี้ที่นั่งรับประทานอาหาร สำหรับเจ้าหน้าที่ (ใช้ของเดิม)	3.1B – 13
SEA-14	STOOL ห้อง CPAP	3.1B – 14

3.2 ข้อกำหนดไฟตกแต่ง

-

3.3 ข้อกำหนด ผ้า / สิ่งทอ

ผ้าปูโต๊ะ

-

หมอน

-

3.4 ข้อกำหนดพรม

-

3.1 ข้อกำหนด เฟอร์นิเจอร์ลอยตัว

สำหรับ

รพ.ศิริราช ปิยมหาราชการุณย์ , กรุงเทพฯ , ประเทศไทย

นำเสนอวัสดุในการตกแต่งภายใน
ศูนย์ระบบการหายใจ

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-01**

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพมหานคร ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : FORM5
SIZE : W1400 X D1600 X H750 MM.
WORKTOP : MFC
STRUCTURE : FORM 5 / EPOXY
MODESTY : MFC
WIRE MANAMENT
HIGHT MOBILE PEDESTAL

WORKSCAPE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workscape.co.th



โต๊ะหมอบประจำห้องตรวจ
W1400 X D450-1600XH750 MM.

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



โต๊ะหมอบประจำห้องตรวจ
SIZE : W1400/600 D1600/400 H750 MM.

IMAGE FURNITECH ,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ	โต๊ะทำงานหมอบ ประจำห้องตรวจ (ซ้าย-ขวา)	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	---	--------	------	----------	---------	----------

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการ must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-02**


โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพมหานคร ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



ลิ้นชักมีล้อเลื่อน
W420 X D550 X H550 MM.

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workspace.co.th



ลิ้นชักมีล้อเลื่อน
W420 X D550 X H550 MM.

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



ลิ้นชักมีล้อเลื่อน
SIZE : W380 D470 H600 MM.

IMAGE FURNITECH ,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ	ตู้ลิ้นชัก แบบมีล้อเลื่อน	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	---------------------------	--------	------	----------	---------	----------

Instructions: Casegoods furniture (Indoor)

- All wood to be kiln dried and treated to be insect and vermin free.
- All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
- All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
- All exposed and internal wood surfaces to match specified finishes.
- Provide heavy duty glides at base / legs.
- Drawer Slide : Provide full-extension heavy duty drawer slides.
- Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
- Stones to be treated for alcohol and stain resistant where applicable.
- Provide heat and stain resistant finish to top of case goods.
- Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
- All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
- 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
- 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
- Prototype to be provided by the manufacturer for approval by LIDG prior to production.
- All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-03**

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพมหานคร ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : FORM5
SIZE : W1400 X D600 X H750 MM.
WORKTOP : MFC
STRUCTURE : FORM 5 / EPOXY
MODESTY : MFC
WIRE MANAMENT
HIGHT MOBILE PEDESTAL

WORKSCAPE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workscape.co.th



โต๊ะทำงานเจ้าหน้าที่
W1400 X D600 X H750 MM.

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



โต๊ะทำงานเจ้าหน้าที่
SIZE : W1400 D600 H750 MM.

IMAGE FURNITECH ,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ	โต๊ะทำงาน เจ้าหน้าที่	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	-----------------------	--------	------	----------	---------	----------

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-04**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพมหานคร ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : FORM5
SIZE : W1300 X D600 X H750 MM.
WORKTOP : MFC
STRUCTURE : FORM 5 / EPOXY
MODESTY : MFC

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workspace.co.th



โต๊ะทำงานเจ้าหน้าที่
W1300 X D600 X H750 MM.

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



โต๊ะทำงานเจ้าหน้าที่ โต๊ะตรวจ ห้อง CPAP
W1300 D600 H750 MM.

IMAGE FURNITECH ,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ

โต๊ะตรวจ ห้อง CPAP

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building


75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-05**

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพมหานคร ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--


หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



SIZE : W.900 D.600 x H.430 MM.

TOP : 12 MM.THK. หินอ่อน

LEG : METAL/STAINLESS STEEL HAIRLINE



PORN SIAM INTERIOR CO.,LTD.
CONTACT: K.THANAWAT J.
MOBILE: 66 085 339 7555
TEL: 66 2 314 1892 /66 2 314 1992
FAX: 66 2 319 4033
E-MAIL: ps_interior@hotmail.com

HOVE D.K CO.,LTD.
CONTACT: K.ORATHAI KHAMPIA
MOBILE: 66 090 014 9966
TEL: 66 03 8595 134-5
FAX: 66 03 859 5136
E-MAIL: orathai@hovedk.com

MACFARLANE CREATION GROUP CO.,LTD.
CONTACT: MR.PRAPHAN SUKPABOONWAT (KELVIN)
MOBILE: 66 081 837 5598
TEL: 66 02 015 1236
FAX: -
E-MAIL: kalvin_spb@hotmail.com
Mac.group@hotmail.com

รายการ	โต๊ะกลาง รูปวงรี	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	------------------	--------	------	----------	---------	----------

Instructions: Casegoods furniture (Indoor)

- All wood to be kiln dried and treated to be insect and vermin free.
- All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
- All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
- All exposed and internal wood surfaces to match specified finishes.
- Provide heavy duty glides at base / legs.
- Drawer Slide : Provide full-extension heavy duty drawer slides.
- Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
- Stones to be treated for alcohol and stain resistant where applicable.
- Provide heat and stain resistant finish to top of case goods.
- Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
- All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
- 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
- 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
- Prototype to be provided by the manufacturer for approval by LIDG prior to production.
- All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-06**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพมหานคร ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



SIZE : DIA.450 x H.650 MM.

TOP : 12 MM.THK. หินอ่อน

LEG : METAL/STAINLESS STEEL HAIRLINE



12MM.THK. หินอ่อนบิตทับ
ด้านบนโต๊ะกลางและด้านล่าง
**WHITE VENUS
TO BID**



**STAINLESS STEEL
HAIRLINE(ตามภาพตัวอย่าง)
TO BID**

PORN SIAM INTERIOR CO.,LTD.
CONTACT: K.THANAWAT J.
MOBILE: 66 085 339 7555
TEL: 66 2 314 1892 /66 2 314 1992
FAX: 66 2 319 4033
E-MAIL: ps_interior@hotmail.com

HOVE D.K CO.,LTD.
CONTACT: K.ORATHAI KHAMPIA
MOBILE: 66 090 014 9966
TEL: 66 03 8595 134-5
FAX: 66 03 859 5136
E-MAIL: orathai@hovedk.com

MACFARLANE CREATION GROUP CO.,LTD.
CONTACT: MR.PRAPHAN SUKPABOONWAT (KELVIN)
MOBILE: 66 081 837 5598
TEL: 66 02 015 1236
FAX: -
E-MAIL: kalvin_spb@hotmail.com
Mac.group@hotmail.com

รายการ	โต๊ะข้างทรงกลม	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	----------------	--------	------	----------	---------	----------

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-07**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : FORM5
SIZE : W2700 X D1000 X H750 MM.
WORKTOP : MFC
STRUCTURE : FORM 5 / EPOXY
WIRE MANAMENT

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workspace.co.th



MEETING TABLE
SIZE : W2700 D1000 H750 MM.

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



MEETING TABLE
SIZE : W2700 D1000 H750 MM.

IMAGE FURNITECH ,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ โต๊ะประชุม

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-08**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพมหานคร ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



CANCEL

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workspace.co.th



MEETING TABLE / DINING TABLE
W1600 X D900 X H750 MM.

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



โต๊ะรับประทานอาหารสำหรับเจ้าหน้าที่
SIZE : W1600 D900 H750 MM.

IMAGE FURNITECH ,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ

โต๊ะรับประทานอาหาร
สำหรับเจ้าหน้าที่ (ใช้ของเดิม)

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการ must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-09**

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการติดราคาทุกครั้ง



MODEL : ตู้ล็อกเกอร์ 9 ช่อง
SIZE : W900 X D450 X H1850 MM
STRUCTURE : MFC

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workspace.co.th



LOCKER MET-6109-K
SIZE : 917XD457XH1829 MM.

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



LOCKER
SIZE : W900 D450 H1800 MM.

IMAGE FURNITECH ,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ	LOCKER	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	--------	--------	------	----------	---------	----------

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-10**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพมหานคร ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง

ระบุสีภายหลัง



PARTITION

แบบมี เฟรม

SIZE : W1200 X D50 X H1200 MM

WORKSPACE CO.,LTD.

CONTACT: K.NANTANA KAEONIYOM

MOBILE: 66 84 454 0919

TEL: 66 0 2886 3356

FAX: -

E-MAIL: nantana_k@workspace.co.th

PARTITION

SIZE : W1200 D40 H1200 MM.

WURKON (THAILAND)CO.,LTD.

CONTACT: CHAITHAWAT PHOLSUWANCHAI

MOBILE: +66 085 817 8889

TEL: +66 02005 3550

FAX: +66 02005 2557

E-MAIL: chaithawat.p@wurkon.com

PARTITION

SIZE : W1200 D40 H1200 MM.

IMAGE FURNITECH ,LTD.

CONTACT: K.SUNISA DETPOLMAT

MOBILE: 66 063 849 9834

TEL: 66 02 035 7028-29

FAX: -

E-MAIL: sunisa@imagefurnitech.com

รายการ

PARTITION ห้อง พ้นยา

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building


75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **CAS-11**

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



PARTITION ประกอบรวม CAS-04
พร้อมอุปกรณ์ติดตั้ง

SIZE : W800 X D15 X H900 MM

WORKSCAPE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workscape.co.th

ระบุสีภายหลัง



SIZE : W750 X D50 X H1200 MM

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com

ระบุสีภายหลัง



PARTITION
SIZE : W600 D14 H800 MM.

IMAGE FURNITECH ,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ	PARTITION ห้อง CPAP	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	---------------------	--------	------	----------	---------	----------

Instructions: Casegoods furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All exposed and internal wood surfaces to match specified finishes.
5. Provide heavy duty glides at base / legs.
6. Drawer Slide : Provide full-extension heavy duty drawer slides.
7. Construction for consoles, bedside tables, coffee tables, bed frames : Rails and frames to be double dowelled, screwed and glued. Veneer face plywood with solid edges for top / sides / back / drawer faces / door faces.
8. Stones to be treated for alcohol and stain resistant where applicable.
9. Provide heat and stain resistant finish to top of case goods.
10. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
11. All materials used must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
12. 30 cm x 30 cm finish samples are to be provided by the manufacturer for approval by LIDG prior to production.
13. 30 cm x 30 cm wood and veneer stained finish samples are to be submitted by the manufacturer for LIDG's approval prior to production.
14. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
15. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-01**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : HANNAH - ZR-1021
SIZE : W620 X D580 X H920-1020 MM.

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workspace.co.th



เก้าอี้ทำงาน
W600 X D570 X H970 – 1050 MM

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



เก้าอี้ทำงาน มีเท้าแขน
CURVA CHAIR MID BACK

IMAGE FURNITECH .,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ

เก้าอี้เจ้าหน้าที่ มีเท้าแขน

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All internal finishes to match specified finish.
5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
6. Provide heavy duty glides at base / legs.
7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
11. Fabrics to be scotchguarded against stain and soil.
12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
17. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-02**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : HANNAH ZR-1021A
SIZE : W620 X D580 X H920-1020 MM.

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workscape.co.th



เก้าอี้ทำงาน (ไม่มีพนักพิงแขน)
W600 x D570 x H970 – 1050 MM

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



เก้าอี้ทำงาน (ไม่มีเท้าแขน)
CURVA CHAIR MID BACK - NO ARM

IMAGE FURNITECH .,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ

เก้าอี้ปฏิบัติการเจ้าหน้าที่
ไม่มีเท้าแขน

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All internal finishes to match specified finish.
5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
6. Provide heavy duty glides at base / legs.
7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
11. Fabrics to be scotchguarded against stain and soil.
12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
17. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-03**

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : XENIC XPX4S4M-A
SIZE : -

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workspace.co.th



เก้าอี้ทำงานเจ้าหน้าที่ระดับสูง
W 680 X600 X1250-1350 MM.

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



เก้าอี้หมอม ประจำห้องตรวจ
CURVA CHAIR MID BACK

IMAGE FURNITECH .,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ	เก้าอี้หมอม ประจำห้องตรวจ	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	---------------------------	--------	------	----------	---------	----------

Instructions: Seating furniture (Indoor)

- All wood to be kiln dried and treated to be insect and vermin free.
- All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
- All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
- All internal finishes to match specified finish.
- Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
- Provide heavy duty glides at base / legs.
- Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
- Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
- All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
- Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
- Fabrics to be scotchguarded against stain and soil.
- All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
- All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
- 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
- 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
- Prototype to be provided by the manufacturer for approval by LIDG prior to production.
- All supplied รายการ must be of contract quality and suitable for commercial use.

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : ZR-1026

SIZE : -

WORKSPACE CO.,LTD.

CONTACT: K.NANTANA KAEONIYOM

MOBILE: 66 84 454 0919

TEL: 66 0 2886 3356

FAX: -

E-MAIL: nantana_k@workspace.co.th



เก้าอี้ผู้มาติดต่อ

W480 X D550 X H820 MM.

WURKON (THAILAND)CO.,LTD.

CONTACT: CHAITHAWAT PHOLSUWANCHAI

MOBILE: +66 085 817 8889

TEL: +66 02005 3550

FAX: +66 02005 2557

E-MAIL: chaithawat.p@wurkon.com



เก้าอี้คนไข้ประจำห้องตรวจ

CURVA T CHAIR

IMAGE FURNITECH .,LTD.

CONTACT: K.SUNISA DETPOLMAT

MOBILE: 66 063 849 9834

TEL: 66 02 035 7028-29

FAX: -

E-MAIL: sunisa@imagefurnitech.com

รายการ

เก้าอี้คนไข้ประจำห้องตรวจ

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All internal finishes to match specified finish.
5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
6. Provide heavy duty glides at base / legs.
7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
11. Fabrics to be scotchguarded against stain and soil.
12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
17. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building


75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-05**

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



SIZE : W.725 x D.680 x SEAT H. 450 x H.800 MM.

MATERIAL: PU

LEG : METAL



STAINLESS STEEL
HAIRLINE(ตามภาพตัวอย่าง)
TO BID



VINYL UPHOLSTERY FOR SOFA 2 SETERS

MODEL : MATT MODE FAL-1549-03 SAND

WIDTH :138 CM.

SUPPLIER : FINE ART SQARE Co., Ltd

CONTACT : MS. ORAWAN

TEL : +662 9819617

FAX : +662 9819617

MOBILE : +668 17989654

E-MAIL : joychansakul@gmail.com

finearts2554@gmail.com

PORN SIAM INTERIOR CO.,LTD.
CONTACT: K.THANAWAT J.
MOBILE: 66 085 339 7555
TEL: 66 2 314 1892 /66 2 314 1992
FAX: 66 2 319 4033
E-MAIL: ps_interior@hotmail.com

HOVE D.K CO.,LTD.
CONTACT: K.ORATHAI KHAMPIA
MOBILE: 66 090 014 9966
TEL: 66 03 8595 134-5
FAX: 66 03 859 5136
E-MAIL: orathai@hovedk.com

MACFARLANE CREATION GROUP CO.,LTD.
CONTACT: MR.PRAPHAN SUKPABOONWAT
(KELVIN)
MOBILE: 66 081 837 5598
TEL: 66 02 015 1236
FAX: -
E-MAIL: kalvin_spb@hotmail.com
Mac.group@hotmail.com

รายการ	เก้าอี้สำหรับวัดความดัน	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	-------------------------	--------	------	----------	---------	----------

Instructions: Seating furniture (Indoor)

- All wood to be kiln dried and treated to be insect and vermin free.
- All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
- All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
- All internal finishes to match specified finish.
- Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
- Provide heavy duty glides at base / legs.
- Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
- Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
- All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
- Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
- Fabrics to be scotchguarded against stain and soil.
- All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
- All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
- 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
- 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
- Prototype to be provided by the manufacturer for approval by LIDG prior to production.
- All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-06**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



บุหนังเทียม


STAINLESS STEEL
HAIRLINE (ตามภาพตัวอย่าง)

ผู้ผลิตจำเป็นต้องติดแผ่น
ป้องกันการลื่นที่ฐาน
และการชุบสีพื้น

SIZE : W.725 x D.680 x SEAT H. 430 x H.800 MM.

MATERIAL: PU

LEG : METAL



VINYL UPHOLSTERY FOR SOFA 2 SETERS

MODEL : SIRIUS FAL-1592-02 ANGORA 138 CM.

SUPPLIER : FINE ART SQUARE Co., Ltd

CONTACT : MS. ORAWAN

TEL : +662 9819617

FAX : +662 9819617

MOBILE : +668 17989654

E-MAIL : joychansakul@gmail.com

finearts2554@gmail.com



**STAINLESS STEEL
HAIRLINE(ตามภาพตัวอย่าง)
TO BID**

PORN SIAM INTERIOR CO.,LTD.
CONTACT: K.THANAWAT J.
MOBILE: 66 085 339 7555
TEL: 66 2 314 1892 / 66 2 314 1992
FAX: 66 2 319 4033
E-MAIL: ps_interior@hotmail.com

HOVE D.K CO.,LTD.
CONTACT: K.ORATHAI KHAMPIA
MOBILE: 66 090 014 9966
TEL: 66 03 8595 134-5
FAX: 66 03 859 5136
E-MAIL: orathai@hovedk.com

MACFARLANE CREATION GROUP CO.,LTD.
CONTACT: MR.PRAPHAN SUKPABOONWAT
(KELVIN)
MOBILE: 66 081 837 5598
TEL: 66 02 015 1236
FAX: -
E-MAIL: kalvin_spb@hotmail.com
Mac.group@hotmail.com

รายการ

เก้าอี้สำหรับห้องเจาะเลือด

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All internal finishes to match specified finish.
5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
6. Provide heavy duty glides at base / legs.
7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
11. Fabrics to be scotchguarded against stain and soil.
12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
17. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-07**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและเช็คจากในแบบก่อนการคราคราทุกครั้ง

*และเป็นสินค้าเฉพาะ ไม่สามารถเทียบเท่าคุณสมบัติ,สีและราคาได้



MODEL : MARKA เก้าอี้พักผ่อน 1 ที่นั่ง BROWN
CONTEMPORARY
W.920 X D.930 X H.1020 cm.
สีสีน้ำตาล

SB FURNITURE GROUP
TEL: 66 2 2666 1555
FAX: -
E-MAIL: cs@sbdesignsquare.com



เก้าอี้พักผ่อนปรับเอนนอนรุ่น
เก้าอี้รีคลเนอร์ รุ่นโครส FINEX
W980 X D980 X H960MM.
วัสดุ : หนัง PU ส้มผัด + PVC /สี : น้ำตาล

RAMINTHRA FURNITURE
สาขาบางแค 939/1 ม.2 ถ.เพชรเกษม ปากซอย 45/1 แขวงบางแค
เขตบางแค กรุงเทพฯ 10160
TEL: 66 02 454 7631
MOBILE: 66 099 2874614, 084 545 1704
FAX: 66 02 454 7634
E-MAIL: -

ระบุสีภายหลัง



LA-Z-BOY
รุ่น PARKER

UDOMFURNITURE CO.,LTD.
CONTACT: K.AUMA
MOBILE: 66 8 3313 3223
TEL: 66 2 314 1892 /66 2 314 1992
FAX: 66 2 319 4033
E-MAIL: -

รายการ

เก้าอี้สำหรับห้องพ่นยา

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

- All wood to be kiln dried and treated to be insect and vermin free.
- All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
- All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
- All internal finishes to match specified finish.
- Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
- Provide heavy duty glides at base / legs.
- Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
- Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
- All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
- Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
- Fabrics to be scotchguarded against stain and soil.
- All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
- All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
- 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
- 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
- Prototype to be provided by the manufacturer for approval by LIDG prior to production.
- All supplied รายการ must be of contract quality and suitable for commercial use.

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



VINYL UPHOLSTERY STOOL
MODEL : VU75



SOLIDWOOD W/STAINFINISH
MODEL : PU - NONTX (WN)



ผู้ผลิตจำเป็นต้องติดแผ่นป้องกัน
การลื่นและการขีดข่วนที่ฐาน

SIZE : W.2255 x D.610 x H.786 mm.

MATERIAL: AS SHOW

PROMPT CONTRACT FURNITURNITURE CO.,LTD.
CONTACT: K.SIRIPARA KAEWMORACHAROEN
MOBILE: 668 1903 6990
TEL: 66 02 405 4098 /66 02 405 4022
FAX: 66 02 405 4022 PRESS 3
E-MAIL: siripara@promptcontract.com

รายการ	เก้าอี้พนักคอย แบบ 4 ที่นั่ง	จำนวน.	-	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	------------------------------	--------	---	------	----------	---------	----------

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.

2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.

3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.

4. All internal finishes to match specified finish.

5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.

6. Provide heavy duty glides at base / legs.

7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.

8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.

9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.

10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTME-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.

11. Fabrics to be scotchguarded against stain and soil.

12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.

13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.

14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.

15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.

16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.

17. All supplied รายการs must be of contract quality and suitable for commercial use.

จัดทำโดย : มนตร์ธิดา

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-09**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



บุหนังเทียม

BLACK METAL

ผู้ผลิตจำเป็นต้องติดแผ่น
ป้องกันการลื่นที่ฐาน
และการขัดสีพื้น

SIZE : W.1800 x D.850 x SEAT H. 430 x H.800 MM.

MATERIAL: PU

LEG : METAL



VINYL UPHOLSTERY FOR SOFA 2 SETERS

MODEL : MATT MODE FAL-1549-03 SAND

WIDTH :138 CM.

SUPPLIER : FINE ART SQAURE Co., Ltd

CONTACT : MS. ORAWAN

TEL : +662 9819617

FAX : +662 9819617

MOBILE : +668 17989654

E-MAIL : joychansakul@gmail.com

finearts2554@gmail.com

PORN SIAM INTERIOR CO.,LTD.

CONTACT: K.THANAWAT J.

MOBILE: 66 085 339 7555

TEL: 66 2 314 1892 /66 2 314 1992

FAX: 66 2 319 4033

E-MAIL: ps_interior@hotmail.com

HOVE D.K CO.,LTD.

CONTACT: K.ORATHAI KHAMPIA

MOBILE: 66 090 014 9966

TEL: 66 03 8595 134-5

FAX: 66 03 859 5136

E-MAIL: orathai@hovedk.com

MACFARLANE CREATION GROUP CO.,LTD.

CONTACT: MR.PRAPHAN SUKPABOONWAT
(KELVIN)

MOBILE: 66 081 837 5598

TEL: 66 02 015 1236

FAX: -

E-MAIL: kalvin_spb@hotmail.com

Mac.group@hotmail.com

รายการ	ไฟฟ้า แบบ 3 ที่นั่ง	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	---------------------	--------	------	----------	---------	----------

Instructions: Seating furniture (Indoor)

- All wood to be kiln dried and treated to be insect and vermin free.
- All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
- All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
- All internal finishes to match specified finish.
- Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
- Provide heavy duty glides at base / legs.
- Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
- Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
- All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
- Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
- Fabrics to be scotchguarded against stain and soil.
- All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
- All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
- 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
- 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
- Prototype to be provided by the manufacturer for approval by LIDG prior to production.
- All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-10**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



บุหนังเทียม

BLACK METAL

ผู้ผลิตจำเป็นต้องติดแผ่น
ป้องกันการลื่นที่ฐาน
และการขูดขีดพื้น

SIZE : W.725 x D.680 x SEAT H. 430 x H.800 MM.

MATERIAL: PU

LEG : METAL



VINYL UPHOLSTERY FOR SOFA 2 SETERS

MODEL : PISCES FAL-1586-01 DEW

WIDTH :138 CM.

SUPPLIER : FINE ART SQUARE Co., Ltd

CONTACT : MS. ORAWAN

TEL : +662 9819617

FAX : +662 9819617

MOBILE : +668 17989654

E-MAIL : joychansakul@gmail.com

finearts2554@gmail.com

PORN SIAM INTERIOR CO.,LTD.

CONTACT: K.THANAWAT J.

MOBILE: 66 085 339 7555

TEL: 66 2 314 1892 /66 2 314 1992

FAX: 66 2 319 4033

E-MAIL: ps_interior@hotmail.com

HOVE D.K CO.,LTD.

CONTACT: K.ORATHAI KHAMPIA

MOBILE: 66 090 014 9966

TEL: 66 03 8595 134-5

FAX: 66 03 859 5136

E-MAIL: orathai@hovedk.com

MACFARLANE CREATION GROUP CO.,LTD.

CONTACT: MR.PRAPHAN SUKPABOONWAT
(KELVIN)

MOBILE: 66 081 837 5598

TEL: 66 02 015 1236

FAX: -

E-MAIL: kalvin_spb@hotmail.com

Mac.group@hotmail.com

รายการ

เก้าอี้มีเท้าแขน

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All internal finishes to match specified finish.
5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
6. Provide heavy duty glides at base / legs.
7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
11. Fabrics to be scotchguarded against stain and soil.
12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
17. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-11**

โครงการ:


รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



SIZE : : W.1500 x D.820 x SEAT H. 430 x H.800 MM

MATERIAL: PU

LEG : METAL



VINYL UPHOLSTERY FOR SOFA 2 SETERS

MODEL : MATT MODE FAL-1549-03 SAND

WIDTH :138 CM.

SUPPLIER : FINE ART SQAURE Co., Ltd

CONTACT : MS. ORAWAN

TEL : +662 9819617

FAX : +662 9819617

MOBILE : +668 17989654

E-MAIL : joychansakul@gmail.com

finearts2554@gmail.com

CANCEL

PORN SIAM INTERIOR CO.,LTD.
CONTACT: K.THANAWAT J.
MOBILE: 66 085 339 7555
TEL: 66 2 314 1892 /66 2 314 1992
FAX: 66 2 319 4033
E-MAIL: ps_interior@hotmail.com

HOVE D.K CO.,LTD.
CONTACT: K.ORATHAI KHAMPIA
MOBILE: 66 090 014 9966
TEL: 66 03 8595 134-5
FAX: 66 03 859 5136
E-MAIL: orathai@hovedk.com

MACFARLANE CREATION GROUP CO.,LTD.
CONTACT: MR.PRAPHAN SUKPABOONWAT
(KELVIN)
MOBILE: 66 081 837 5598
TEL: 66 02 015 1236
FAX: -
E-MAIL: kalvin_spb@hotmail.com
Mac.group@hotmail.com

รายการ

โซฟาแบบ 2 ที่นั่ง (ใช้ของเดิม) จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All internal finishes to match specified finish.
5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
6. Provide heavy duty glides at base / legs.
7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
11. Fabrics to be scotchguarded against stain and soil.
12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
17. All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-12**

โครงการ:	รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย ศูนย์ระบบการหายใจ	วันที่:	วันที่ / เดือน / พ.ศ. 25 ธันวาคม 2562
----------	--	---------	--

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



MODEL : HANNAH - ZR-1021
SIZE : W620 X D580 X H920-1020 MM.

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workscao.co.th



เก้าอี้ทำงาน (ไม่มีพนักพิงแขน)
W600 x D570 x H970 – 1050 MM

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com



เก้าอี้ทำงาน (ไม่มีเท้าแขน)
CURVA CHAIR MID BACK

IMAGE FURNITECH .,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ	เก้าอี้ห้องประชุม ไม่มีเท้าแขน	จำนวน.	ขนาด	AS SHOWN	ผู้ผลิต	AS SHOWN
--------	-----------------------------------	--------	------	----------	---------	----------

Instructions: Seating furniture (Indoor)

- All wood to be kiln dried and treated to be insect and vermin free.
- All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
- All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
- All internal finishes to match specified finish.
- Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
- Provide heavy duty glides at base / legs.
- Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
- Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
- All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
- Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
- Fabrics to be scotchguarded against stain and soil.
- All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
- All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
- 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
- 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
- Prototype to be provided by the manufacturer for approval by LIDG prior to production.
- All supplied รายการs must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-13**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง

ระบุสีภายหลัง



CANCEL

WORKSPACE CO.,LTD.
CONTACT: K.NANTANA KAEONIYOM
MOBILE: 66 84 454 0919
TEL: 66 0 2886 3356
FAX: -
E-MAIL: nantana_k@workscao.co.th



เก้าอี้รับประทานอาหาร สำหรับเจ้าหน้าที่
SIZE : -

WURKON (THAILAND)CO.,LTD.
CONTACT: CHAITHAWAT PHOLSUWANCHAI
MOBILE: +66 085 817 8889
TEL: +66 02005 3550
FAX: +66 02005 2557
E-MAIL: chaithawat.p@wurkon.com

ระบุสีภายหลัง



เก้าอี้รับประทานอาหาร สำหรับเจ้าหน้าที่
SIZE : W44 D44 H87 MM.

IMAGE FURNITECH .,LTD.
CONTACT: K.SUNISA DETPOLMAT
MOBILE: 66 063 849 9834
TEL: 66 02 035 7028-29
FAX: -
E-MAIL: sunisa@imagefurnitech.com

รายการ

เก้าอี้รับประทานอาหาร
สำหรับเจ้าหน้าที่ (ใช้ของเดิม)

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All internal finishes to match specified finish.
5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
6. Provide heavy duty glides at base / legs.
7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
11. Fabrics to be scotchguarded against stain and soil.
12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
17. All supplied รายการ must be of contract quality and suitable for commercial use.

39th Floor Ocean Tower II Building

75/108 -109 Sukhumvit 19 Road, Klongtoey Nua, Vadhana, Bangkok 10110, Thailand.

Tel : +66 (0) 2261 7733 Fax : +66 (0) 2261 7734 Email : lidg@lidg.co.th

รหัส : **SEA-14**

โครงการ:

รพ.ศิริราช ปิยมหาราชการุณย์ ,กรุงเทพ ,ประเทศไทย
ศูนย์ระบบการหายใจ

วันที่:

วันที่ / เดือน / พ.ศ.

25 ธันวาคม 2562

หมายเหตุ จำนวนเฟอร์นิเจอร์ให้อ้างอิงจากในแบบเท่านั้นและ
เช็คจากในแบบก่อนการคิดราคาทุกครั้ง



WHITE

STAINLESS STEEL
MIRROR (ตามภาพตัวอย่าง)

ผู้ผลิตจำเป็นต้องติดแผ่น
ป้องกันการลื่นที่ฐาน
และการชุบขัดพื้น

SIZE : : W.450 x D.450 x SEAT H.750MM

MATERIAL: -

LEG : STAINLESS STEEL MIRROR



STAINLESS STEEL
MIRROR ตามภาพตัวอย่าง)
TO BID

PORN SIAM INTERIOR CO.,LTD.
CONTACT: K.THANAWAT J.
MOBILE: 66 085 339 7555
TEL: 66 2 314 1892 /66 2 314 1992
FAX: 66 2 319 4033
E-MAIL: ps_interior@hotmail.com

HOVE D.K CO.,LTD.
CONTACT: K.ORATHAI KHAMPIA
MOBILE: 66 090 014 9966
TEL: 66 03 8595 134-5
FAX: 66 03 859 5136
E-MAIL: orathai@hovedk.com

MACFARLANE CREATION GROUP CO.,LTD.
CONTACT: MR.PRAPHAN SUKPABOONWAT
(KELVIN)
MOBILE: 66 081 837 5598
TEL: 66 02 015 1236
FAX: -
E-MAIL: kalvin_spb@hotmail.com
Mac.group@hotmail.com

รายการ

STOOL ห้อง CPAP

จำนวน.

ขนาด

AS SHOWN

ผู้ผลิต

AS SHOWN

Instructions: Seating furniture (Indoor)

1. All wood to be kiln dried and treated to be insect and vermin free.
2. All hinges, screws, bolts and other internal hardware's to be resistant to corrosion.
3. All wood finishes to be stained, full-filled, alcohol, water and burn resistant catalyzed or conversion lacquer finish.
4. All internal finishes to match specified finish.
5. Polyurethane foam cushions to be flame retardant and must meet local fire codes. Cushion density must be a minimum of 45 kg / m³. Cushions must be wrapped with layer of polyester dacron and cotton calico. Use CMHR foam or Code Red foam on all foam core construction.
6. Provide heavy duty glides at base / legs.
7. Construction for desk chair, lounge chair, dining chair : Frame to be constructed from kiln dried solid hardwood, reinforced with corner blocks, glued and screwed to rail. All rails and posts to be doubled dowelled, screwed and glued in place. Must be of fire retardant construction.
8. Ensure that piece will fit in lifts and through doors prior to commencing fabrication. Show all pieces in shop drawings.
9. All fabrics to be dimensionally stable and with appropriate backing for upholstery use as recommended by fabric supplier.
10. Fabrics upholstery to be flame retardant and meet all applicable codes or at least ASTM-E-84 class 'A' on contract quality goods. Warm and humid climate to use non-salt based flame proofing to prevent corrosion and mildew of fabrics.
11. Fabrics to be scotchguarded against stain and soil.
12. All fabrics to be delivered in largest bolt / roll to be of first quality only, no seconds, no bolt ends. Fabric to be pre-shrunk, and non-fading.
13. All materials must be suitable for use in tropical and high humidity ศูนย์ระบบการหายใจ.
14. 30 cm x 30 cm finish samples to be provided by the manufacturer for approval by LIDG prior to production.
15. 30 cm x 30 cm wood and veneer stained finish samples to be submitted by the manufacturer for LIDG's approval prior to production.
16. Prototype to be provided by the manufacturer for approval by LIDG prior to production.
17. All supplied รายการs must be of contract quality and suitable for commercial use.